



# Suspension / Surface Adaptor

 **ACRILUX**<sup>®</sup>




Forma e tecnologia

# Suspension/Surface Adaptor for skirt Sirio S300



## Suspension/Surface Adaptor PLAF/SOSP

## Accessories




| Dimensions (mm) |     |    |     | Packing             |          |            |            |                       |         |           |
|-----------------|-----|----|-----|---------------------|----------|------------|------------|-----------------------|---------|-----------|
| Adaptor         | A   | B  | C   | Adaptor             | Material | PCS/carton | Dim (cm)   | Vol (m <sup>3</sup> ) | Net (g) | Gross (g) |
| Plaf/Sosp S300  | 164 | 67 | 139 | Plaf/Sosp S300 Plus | PC       | 10         | 34x17,5x34 | 0.02                  | 2970    | 3170      |
|                 |     |    |     | Plaf/Sosp S300 L    | PC       | 10         | 34x17,5x34 | 0.02                  | 2540    | 2740      |

Max Watt 60 W | Lamp-holder E27



## Sirio prismatic skirt



| Dimensions (mm) |     |     |     |  |  |  |
|-----------------|-----|-----|-----|--|--|--|
| Skirt           | A   | B   | C   |  |  |  |
| S300            | 316 | 191 | 132 |  |  |  |


  

| Packing |          |            |          |                       |         |           |
|---------|----------|------------|----------|-----------------------|---------|-----------|
| Skirt   | Material | PCS/carton | Dim (cm) | Vol (m <sup>3</sup> ) | Net (g) | Gross (g) |
| S300    | PMMA     | 5          | 33x33x35 | 0,038                 | 2930    | 3790      |
| S300    | PC       | 5          | 33x33x34 | 0,037                 | 2970    | 3680      |

| How to compose the product description (example S300.PMI/PR) |           |          |        |           |    |
|--|-----------|----------|--------|-----------|----|
| Product  | Dimension | Material | Colour | Finish    |    |
| Skirt  | A=316     | PMMA     | Clear  | Prismatic |    |
| Description  | S         | 300      | PM     | I         | PR |



All colours and finishes are available in acrylic and polycarbonate with exception of satin (available in acrylic only)

# Suspension/Surface Adaptor for Globes and Shapes Ø300



## Suspension/Surface Adaptor PLAF/SOSP FORME 300

## Accessories





| Dimensions (mm)     |     |    |     |    | Packing                  |          |            |              |                       |         |           |
|---------------------|-----|----|-----|----|--------------------------|----------|------------|--------------|-----------------------|---------|-----------|
| Adaptor             | A   | B  | C   | D  | Adaptor                  | Material | PCS/carton | Dim (cm)     | Vol (m <sup>3</sup> ) | Net (g) | Gross (g) |
| Plaf/Sosp FORME 300 | 164 | 84 | 145 | 17 | Plaf/Sosp FORME 300 Plus | PC       | 10         | 34x17,5x43,5 | 0,026                 | 3220    | 3450      |
|                     |     |    |     |    | Plaf/Sosp FORME 300 L    | PC       | 10         | 34x17,5x43,5 | 0,026                 | 2800    | 3000      |

### Max Watt 60 W | Lamp-holder E27



## Globe



| Dimensions (mm) |     |     |     |    |   |
|-----------------|-----|-----|-----|----|---|
| Globe           | A   | B   | C   | D  | E |
| G300            | 300 | 139 | 109 | 15 | 4 |

| Packing |          |            |          |                       |         |           |
|---------|----------|------------|----------|-----------------------|---------|-----------|
| Globe   | Material | PCS/carton | Dim (cm) | Vol (m <sup>3</sup> ) | Net (g) | Gross (g) |
| G300    | PMMA     | 2          | 32x32x62 | 0,064                 | 1040    | 2040      |
| G300    | PC       | 2          | 32x32x62 | 0,064                 | 1370    | 2370      |

### How to compose the product description (example G300.PMI/PR)

|             | Product | Dimension | Material | Colour | Finish    |
|-------------|---------|-----------|----------|--------|-----------|
|             | Globe   | ø300      | PMMA     | Clear  | Prismatic |
| Description | G       | 300       | PM       | I      | PR        |

All Globes are available in acrylic and polycarbonate  
All Shapes are available in acrylic



 **ACRILUX®**

Forma e tecnologia

Acrilux Srl  
 62019 Recanati (MC) Italy  
 S.P. 571 Km 10+983  
 T: +39 0717589.1  
 F: +39 071757.4373 / 3595  
 e-mail: [acrilux@acrilux.com](mailto:acrilux@acrilux.com)  
[www.acrilux.com](http://www.acrilux.com)

ACRILUX Srl dichiara che le informazioni sopra riportate sono fornite a puro titolo indicativo in base ai test effettuati ed ai materiali utilizzati, pertanto declina ogni responsabilità per i risultati ottenuti dal cliente. È responsabilità del cliente assicurarsi che gli apparecchi realizzati con tali componenti rispettino le normative vigenti e siano idonei alle condizioni in cui sono destinati ad operare. Il nostro servizio tecnico è a disposizione dei Clienti per ogni approfondimento relativo all'utilizzo dei prodotti.

*ACRILUX Srl declares that all technical information contained in this folder is given in good faith but assumes no responsibility for customers results. It is the customers responsibility to ensure that their equipment complies to the relevant standards and is suitable for the conditions in which it functions. Our technical staff is available to respond to any/all questions concerning the use of the products.*

